# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

**1/11** Revision Date: 01/22/2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **Product identifier**

Trade name Product code	BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE
SDS Number EPA Registration No.	102000015132 92564-12
Relevant identified uses of t	he substance or mixture and uses advised against
Restrictions on use	See product label for restrictions.
Information on manufacture	r SBM Life Science Corp. 1001 Winstead Dr., Ste 500 Cary, NC 27513 United States
Emergency telephone no. All Emergencies, 24hr/ 7 days	1-877-229-3763 (24 hours/day)
Product Information Telephone No.	1-877-229-3724
SDS Information or Request	SDS@sbm-Company.com

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200 This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Other hazards No particular hazards known.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<b>CAS-No.</b> 138261-41-3 68359-37-5 56-81-5	Average % by Weight 0.72 0.36 8.00
00010	0.00
	138261-41-3 68359-37-5

# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 102000015132

**2/11** Revision Date: 01/22/2019

#### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures		
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No symptoms known or expected.	
Indication of any immediate medical attention and special treatment needed		
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.	

#### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media	
Suitable	Water, Foam, Dry chemical
Unsuitable	None known.
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for fire-fighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off

# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

**3/11** Revision Date: 01/22/2019

	from fire fighting to enter drains or water courses.
Flash point	93.3 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
Additional advice	Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.	

### SECTION 7: HANDLING AND STORAGE

Advice on protection against fire and explosion	No special precautions required.	
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.	
Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.	
Advice on common storage	Keep away from food, drink and animal feedingstuffs.	

## BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

**4/11** Revision Date: 01/22/2019

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	5 ug/m3 (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	50 ug/m3 (ST ESL)	07 2011	TX ESL
Beta-Cyfluthrin	68359-37-5	50 ug/m3 (ST ESL)	10 2003	TX ESL
Beta-Cyfluthrin (Particulate.)	68359-37-5	50 ug/m3 (ST ESL)	10 2003	TX ESL
Beta-Cyfluthrin (Particulate.)	68359-37-5	5 ug/m3 (AN ESL)	10 2003	TX ESL
Beta-Cyfluthrin	68359-37-5	5 ug/m3 (AN ESL)	10 2003	TX ESL
Glycerine (Mist.)	56-81-5	10 mg/m3 (TWA)	02 2012	ACGIH
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine	56-81-5	5 ug/m3 (AN ESL)	03 2012	TX ESL
Glycerine	56-81-5	100 ug/m3 (AN ESL)	03 2012	TX ESL
Glycerine	56-81-5	50 ug/m3 (ST ESL)	03 2012	TX ESL
Glycerine	56-81-5	1000 ug/m3 (ST ESL)	03 2012	TX ESL

**Exposure controls** 

## BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 102000015132

5/11 Revision Date: 01/22/2019

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

# General protective measures

There are no known hazards associated with this product when used according to the label directions. The following guidelines should be followed.

Avoid inhalation of vapour or mist.

Avoid contact with skin and eyes.

Do not allow children or pets to enter the treated area until it has dried.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	Liquid
Odor	characteristic
Odour Threshold	no data available
рН	4.5 - 6.2 (100 %)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	ca. 1.03 g/cm³ at 20 °C
Evapouration rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	dispersible
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable

# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

6/11 Revision Date: 01/22/2019

Partition coefficient: n- octanol/water	no data available
Viscosity	300 - 800 mPa.s
Flash point	93.3 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

### SECTION 10: STABILITY AND REACTIVITY

Reactivity Thermal decomposition	not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	freezing
Incompatible materials	no data available
Hazardous decomposition products	no data available

### SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Ingestion, Inhalation, Skin contact
Immediate Effects Eye	Moderate eye irritation.
Ingestion	Harmful if swallowed.

# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

7/11 Revision Date: 01/22/2019

Inhalation	Harmful if inhaled.
Information on toxicologica	l effects
Acute oral toxicity	LD50 (male/female combined rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (male/female combined rat) > 1.2 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths
	LC50 (male/female combined rat) > 4.8 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (male/female combined rat) > 4,000 mg/kg
Skin irritation	No skin irritation (rabbit)
Eye irritation	No eye irritation (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

#### Assessment repeated dose toxicity

Imidacloprid did not cause specific target organ toxicity in experimental animal studies. The toxic effects of beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

#### **Assessment Mutagenicity**

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests. beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment Carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice. beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

#### ACGIH

None.

#### NTP

None.

#### IARC

None.

#### OSHA

None.

# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

8/11 Revision Date: 01/22/2019

#### Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with beta-Cyfluthrin is related to parental toxicity.

#### Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity. beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with beta-Cyfluthrin are related to maternal toxicity.

#### **Further information**

Acute toxicity studies have been bridged from a similar formulation(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity to fish	LC50 (Rainbow trout (Oncorhynchus mykiss)) 0.000068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient beta-cyfluthrin.
	LC50 (Rainbow trout (Oncorhynchus mykiss)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) 0.00029 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient beta-cyfluthrin.
	EC50 (Water flea (Daphnia magna)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid.
	LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus) > 0.01 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient beta-cyfluthrin. No acute toxicity was observed at its limit of water solubility.
	EC50 (Desmodesmus subspicatus) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.

# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 102000015132

**9/11** Revision Date: 01/22/2019

Biodegradability	Imidacloprid: not rapidly biodegradable beta-Cyfluthrin: not rapidly biodegradable
Кос	Imidacloprid: Koc:225 beta-Cyfluthrin: Koc:508 - 3179
Bioaccumulation Mobility in soil	Imidacloprid: Does not bioaccumulate. beta-Cyfluthrin: Bioconcentration factor (BCF) 506 Does not bioaccumulate. Imidacloprid: Moderately mobile in soils
Environmental precautions	beta-Cyfluthrin: Immobile in soil Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment
	or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

### SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	
Product	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Triple rinse containers. Do not re-use empty containers. Place empty container in trash.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

Not dangerous goods / not hazardous material

## BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

**10/11** Revision Date: 01/22/2019

IATA   UN number 3082   Class 9   Packaging group III   Environm. Hazardous Mark YES   Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	IMDG UN number Class Packaging group Marine pollutant Proper shipping name	<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)
N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION )	UN number Class Packaging group Environm. Hazardous Mark	<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

#### **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. US Federal Regulations TSCA list	92564-12	
Glycerine	56-81-5	
US. Toxic Substances Contr Subpt D) None.	ol Act (TSCA) Section 12(b) Export Notification	on (40 CFR 707,
SARA Title III - Section 302 -	Notification and Information	
None.		
	Toxic Chemical Release Reporting	
Beta-Cyfluthrin	68359-37-5	1.0%
US States Regulatory Reporting CA Prop65		
This product does not contain	any substances known to the State of California	to cause cancer.
reproductive harm. US State Right-To-Know Ing		to cause
Beta-Cyfluthrin Glycerine	68359-37-5 NJ 56-81-5 MN, RI	

**Canadian Regulations** 

# BIOADVANCED SCIENCE-BASED SOLUTIONS COMPLETE BRAND INSECT KILLER FOR SOIL & TURF CONCENTRATE



Version 1.0 /USA 10200015132

**11/11** Revision Date: 01/22/2019

Canadian Domestic Substance List Glycerine

56-81-5

#### Environmental

CERCLA None. Clean Water Section 307 Priority Pollutants None. Safe Drinking Water Act Maximum Contaminant Levels None.

#### **International Regulations**

European Inventory of Existing Commercial Substances (EINECS) Glycerine 56-81-5

#### **EPA/FIFRA** Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:	Caution!
Hazard statements:	Harmful by inhalation and if swallowed. Moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling.

### **SECTION 16: OTHER INFORMATION**

NFPA 704 (National Fire Protection Association):<br/>Health - 2Others - noneHMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)<br/>Health - 2Flammability - 1Physical Hazard - 00 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Update emergency contact and product information number.

Date of Previous Revision: 05/01/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are trademarks of SBM Life Science Corp.