



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 07.14.2022

Page 1 of 11

**Revision date:** 01.31.2023

### STUMP REMOVER

#### SECTION 1: Identification

##### Product Identifier

**Product Name:** STUMP REMOVER

##### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** FERTILIZER

**Uses Advised Against:** FERTILIZER

**Reasons Why Uses Advised Against:** Not determined or not applicable.

##### Manufacturer or Supplier Details

###### Manufacturer:

###### United States

GROW MORE INC

15600 NEW CENTURY DR.

GARDENA, CA 90248

3105151700

admin@growmore.com

www.growmore.com

##### Emergency Telephone Number:

###### United States

CHEMTREC

1-800-424-9300 (1-800-424-9300)

#### SECTION 2: Hazard(s) Identification

##### GHS Classification:

Skin irritation, category 2


Eye irritation, category 2A

Oxidizing solids, category 1

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

##### Label elements

###### Hazard Pictograms:



**Signal Word:** Danger

##### Hazard statements:

H271 May cause fire or explosion; strong oxidizer

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

##### Precautionary Statements:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 2 of 11

Revision date: 01.31.2023

### STUMP REMOVER

P264 Wash hands thoroughly after handling  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
P210 Keep away from open flames and hot surfaces. No smoking.  
P220 Keep and store away from clothing and other combustible materials.  
P221 Take any precautions to avoid mixing with combustibles.  
P283 Wear fire/flame resistant/retardant clothing  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P271 Use only outdoors or in a well-ventilated area  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P321 Specific treatment (see supplemental information on the product label).  
P332+P313 If skin irritation occurs: Get medical advice or attention.  
P362 Take off contaminated clothing and wash it before reuse  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 If eye irritation persists: Get medical advice or attention.  
P306+P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes  
P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion  
P370+P378 In case of fire: Use agents recommended in Section 5 to extinguish.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P312 Call a POISON CENTER/doctor if you feel unwell  
P403+P233 Store in a well-ventilated place. Keep container tightly closed  
P405 Store locked up  
P501 Dispose of contents and container in accordance with federal, state and local regulations.

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 7757-79-1	Potassium nitrate	80-90

#### Additional Information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### SECTION 4: First Aid Measures

#### Description of First Aid Measures

##### General Notes:

Show this Safety Data Sheet to the doctor in attendance.

##### After Inhalation:

If inhalation of airborne or dust particulates occurs, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

##### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

##### After Eye Contact:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 3 of 11

Revision date: 01.31.2023

### STUMP REMOVER

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

#### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Treatment is urgent. Seek emergency medical treatment. If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs.

#### Most Important Symptoms and Effects, Both Acute and Delayed

##### Acute Symptoms and Effects:

Inhalation of airborne dust/particulates may cause central nervous system depression, respiratory tract irritation, coughing, shortness of breath, headache, dizziness, drowsiness, wheezing, slowed reaction time, slurred speech and unconsciousness. Airborne dust may cause mechanical abrasion of the eye resulting in irritation, pain and foreign object sensation in the eye.

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

##### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

#### Immediate Medical Attention and Special Treatment

##### Specific Treatment:

If respiratory symptoms persist, seek medical attention.

##### Notes for the Doctor:

Treat symptomatically.

### SECTION 5: Firefighting Measures

#### Extinguishing Media

##### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Most suitable extinguishing media is water. CO2 or Halon® may provide limited control.

##### Unsuitable Extinguishing Media:

Do not use water jet.

#### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

May cause fire or explosion; strong oxidizer. These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May explode from heat or contamination. Some will react explosively with hydrocarbons (fuels). May ignite combustibles (wood, paper, oil, clothing, etc.). Containers may explode when heated. Runoff may create fire or explosion hazard.

Inhalation, ingestion or contact (skin, eyes) with vapors or substance may cause severe injury, burns or

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 4 of 11

Revision date: 01.31.2023

### STUMP REMOVER

death. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution.

#### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

Evacuate non-essential personnel. Ventilate closed spaces before entering. Consider initial evacuation for 100 meters in all directions. If tank/rail car/tank truck is involved in the fire, ISOLATE for 800 meters in all directions. Fight fire from a maximum distance. Use flooding quantities of water until well after fire is out for cooling fire exposed containers. Do not direct water at source of leak or safety devices; icing may occur. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Beware of possible container explosion. Always stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles. If this is impossible, withdraw from area and let fire burn. Stand by, at a safe distance, with extinguisher ready for possible re-ignition. A vapor-suppressing foam may be used to reduce vapors. Avoid unnecessary run-off of extinguishing media which may cause pollution. Do not move cargo or vehicle if cargo has been exposed to heat. Do not handle damaged containers unless specialized to do so.

### SECTION 6: Accidental Release Measures

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Keep combustibles (wood, paper, oil, etc.) away from spilled material. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Do not get water inside containers. With clean shovel, place material into clean, dry container and cover loosely; move containers from spill area. Following product recovery, flush area with water. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and Storage

#### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 5 of 11

Revision date: 01.31.2023

### STUMP REMOVER

Get special instructions before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating and lighting equipment. Take action to prevent static discharges. Handle containers with caution. Immediately report leaks, spills or failures of the safety equipment. In the event of a spill or leak, exit the area immediately. Be very cautious about mixing oxidizers with water. Some oxidizers generate large amounts of heat when they are mixed with water. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Never return unused product to the original container, even if it does not appear to be contaminated. If applicable, check vent caps regularly to ensure they are working properly. Keep vented containers in the upright position. Never stack vented containers on top of each other.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

#### Occupational Exposure Limit Values:

No occupational exposure limits noted for the ingredient(s).

#### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

#### Information on Monitoring Procedures:

Not determined or not applicable.

#### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. It is recommended to handle materials under a fume hood or other locally exhausted ventilation. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal Protection Equipment

##### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 6 of 11

Revision date: 01.31.2023

### STUMP REMOVER

prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. A lab coat must be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

Appearance	Off white powder
Odor	Odorless
Odor threshold	Not determined
pH	Not determined
Melting point/freezing point	Not determined
Initial boiling point/range	Not determined
Flash point (closed cup)	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Non-flammable
Upper flammability/explosive limit	Not determined
Lower flammability/explosive limit	Not determined
Vapor pressure	Not determined
Vapor density	Not determined
Density	Not determined
Relative density	Not determined
Solubilities	Soluble
Partition coefficient (n-octanol/water)	Not determined
Auto/Self-ignition temperature	This product is not self-igniting.
Decomposition temperature	Not determined
Dynamic viscosity	Not determined
Kinematic viscosity	Not determined
Explosive properties	This product is not explosive.
Oxidizing properties	This product is oxidizer.

### SECTION 10: Stability and Reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 7 of 11

Revision date: 01.31.2023

### STUMP REMOVER

#### Chemical Stability:

Stable under recommended handling and storage conditions.

#### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials. Avoid generation and dispersal of dust.

#### Incompatible Materials:

None known.

#### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological Information

#### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

##### Substance Data:

Name	Route	Result
Potassium nitrate	oral	LD50 Rat: >2000 mg/kg
	inhalation	LC50 Rat: >0.527 mg/L (4h [Dust])
	dermal	LD50 Rat: >5000 mg/kg

#### Skin Corrosion/Irritation

##### Assessment:

Causes skin irritation.

##### Product Data:

No data available.

##### Substance Data:

Name	Result
Potassium nitrate	Causes skin irritation.

#### Serious Eye Damage/Irritation

##### Assessment:

Causes serious eye irritation.

##### Product Data:

No data available.

##### Substance Data:

Name	Result
Potassium nitrate	Causes serious eye irritation.

#### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

##### Product Data:

No data available.

**Substance Data:** No data available.

#### Carcinogenicity

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 8 of 11

Revision date: 01.31.2023

### STUMP REMOVER

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Potassium nitrate	Group 2A

#### National Toxicology Program (NTP):

Name	Classification
Potassium nitrate	Not Applicable

**OSHA Carcinogens:** Not applicable

#### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Specific Target Organ Toxicity (Single Exposure)

**Assessment:**

May cause respiratory irritation.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
Potassium nitrate	May cause respiratory irritation.

#### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Information on Likely Routes of Exposure:

No data available.

#### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

**Other Information:**

No data available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 9 of 11

Revision date: 01.31.2023

### STUMP REMOVER

#### SECTION 12: Ecological Information

##### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Potassium nitrate	Fish LC50 Oncorhynchus mykiss: >100 mg/L (96 h)
	Aquatic Invertebrates EC50 Daphnia magna: 490 mg/L (48 h)

##### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Potassium nitrate	Aquatic Plants EC50 Freshwater algae: >1700 mg/L (10 d [growth rate])

##### Persistence and Degradability

**Product Data:** No data available.

**Substance Data:**

Name	Result
Potassium nitrate	Biodegradation studies do not need to be conducted as the substance is an inorganic.

##### Bioaccumulative Potential

**Product Data:** No data available.

**Substance Data:**

Name	Result
Potassium nitrate	Low potential for bioaccumulation. Substance is a simple inorganic salt with high aqueous solubility which will exist in a dissociated form in an aqueous solution.

##### Mobility in Soil

**Product Data:** No data available.

**Substance Data:**

Name	Result
Potassium nitrate	It can be concluded that the substance will completely dissociate into ions in water and thus has a low potential for adsorption in soil.

##### Results of PBT and vPvB assessment

**Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Substance Data:**

**PBT assessment:**

Potassium nitrate	PBT assessment does not apply to inorganic substances.
-------------------	--

**vPvB assessment:**

Potassium nitrate	vPvB assessment does not apply to inorganic substances.
-------------------	---

**Other Adverse Effects:** No data available.

#### SECTION 13: Disposal Considerations

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 10 of 11

Revision date: 01.31.2023

### STUMP REMOVER

#### Disposal Methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

#### Contaminated packages:


Not determined or not applicable.

### SECTION 14: Transport Information


#### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	UN1479
UN Proper Shipping Name	Oxidizing solid, n.o.s. (Potassium nitrate) Potassium Nitrate
UN Transport Hazard Class(es)	5.1 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None

#### International Maritime Dangerous Goods (IMDG)

UN Number	UN1479
UN Proper Shipping Name	Oxidizing solid, n.o.s. (Potassium nitrate) POTASSIUM NITRATE
UN Transport Hazard Class(es)	5.1 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None

#### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	UN1479
UN Proper Shipping Name	Oxidizing solid, n.o.s. (Potassium nitrate) POTASSIUM NITRATE
UN Transport Hazard Class(es)	5.1 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None

### SECTION 15: Regulatory Information

#### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:**

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 07.14.2022

Page 11 of 11

Revision date: 01.31.2023

### STUMP REMOVER

7757-79-1	Potassium nitrate	Listed
-----------	-------------------	--------

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:**

7757-79-1	Potassium nitrate	Listed
-----------	-------------------	--------

**New Jersey Right to Know:**

7757-79-1	Potassium nitrate	Listed
-----------	-------------------	--------

**New York Right to Know:**

7757-79-1	Potassium nitrate	Listed
-----------	-------------------	--------

**Pennsylvania Right to Know:**

7757-79-1	Potassium nitrate	Listed
-----------	-------------------	--------

**California Proposition 65:** None of the ingredients are listed.

**Additional information:** Not determined.

### SECTION 16: Other Information

**Abbreviations and Acronyms:** None

**Disclaimer:**

Although the information and recommendations set forth in this sheet are believed to be correct as of the date hereof, Grow More, Inc. makes no representation as to the completeness or accuracy of such information and recommendations. Grow More, Inc. shall in no event be responsible for any damages of whatsoever nature or indirectly resulting from the publication or use of or reliance upon such information and recommendations. You are encouraged to advise anyone working with or exposed to such products of the information contained herein. No warranty either expressed or implied of merchantability or fitness or of any other nature with respect to the product or to the information and recommendations herein made hereunder.

**NFPA:** 0-0-0

**HMIS:** 0-0-0

**Initial Preparation Date:** 07.14.2022

**Revision date:** 01.31.2023

**End of Safety Data Sheet**