www.Florikan.com



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

1 Identification

- · Product identifier
- · 55963

DYN 18 6 8 T270 BULK

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product description PC12 Fertilizers
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Florikan ESA, LLC

1579 Barber Rd.

Sarasota, FL. 34240

ph: 941-379-4048 ext 332

Fax: 941-377-3633

Email product info: Doug Cabe; dcabe@florikan.com

· Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 1B H360 May damage fertility or the unborn child.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

Talc

· Hazard statements

Suspected of causing cancer.

May damage fertility or the unborn child.

· Precautionary statements

Wear protective gloves.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Unknown acute toxicity:

23.9 percent of the mixture consists of ingredient(s) of unknown toxicity.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 0Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous Compone 	ents:	
CAS: 6484-52-2 RTECS: BR9050000	Ammonium Nitrate Ox. Sol. 3, H272; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	15-35%
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate ◆ STOT SE 3, H335	5-10%
CAS: 7722-76-1	Ammonium phosphate monobasic Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 14807-96-6	Talc Carc. 2, H351; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%
CAS: 10034-96-5 RTECS: OP0893500	Manganese(II) Sulfate Monohydrate ◆ STOT RE 2, H373; ◆ Aquatic Chronic 2, H411; ◆ STOT SE 3, H335; Aquatic Acute 2, H401	≤ 2.5%
CAS: 10043-35-3 RTECS: ED 4550000	Boric Acid Repr. 1B, H360	< 2.5%
CAS: 7758-99-8 RTECS: GL 8800000	Copper Sulfate Pentahydrate Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≤ 2.5%
CAS: 7757-79-1 RTECS: TT 3700000	Potassium Nitrate Ox. Sol. 2, H272	15-35%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.

 (Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:

14807-96-6 Talc

PEL Long-term value: 20 mppcf ppm

(containing <1% Quartz)

REL Long-term value: 2* mg/m³

*respirable dust

TLV Long-term value: 2* mg/m³
*as respirable fraction; E

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

10043-35-3 Boric Acid

TLV Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ *as inhalable fraction

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Eye protection: Not required.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Granulate
Color: Whitish
Odor: Slight

Odor threshold: Not determined.pH-value: Not applicable.

· Change in condition

Melting point/Melting range:
 Boiling point/Boiling range:

 Flash point:
 Flammability (solid, gaseous):

 Not determined.
 Not applicable.
 Not determined.

· Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting: Product is not self-igniting.

Danger of explosion:
 Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Upper: Not determined.Vapor pressure: Not applicable.

• **Density** @ **20** °**C** (**68** °**F**): 1.05 g/cm³ (8.762 lbs/gal)

Relative density
Vapor density
Evaporation rate
Not determined.
Not applicable.
Not applicable.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

Kinematic: Not applicable.

· Solvent content:

Organic solvents: 0.0 %
Solids content: 100.0 %

• Other information No further relevant information available.

10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	- 7		
· LD/LC50 values that are relevant for classification:			
6484-52-2 Ammonium Nitrate			
Oral	LD50	2217 mg/kg (rat)	
7487-88-9	7487-88-9 Magnesium Sulphate		
Oral	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	>2000 mg/l (rabbit)	
	LC50/96 hours	2820 mg/l (Pimephales)	
10043-35	10043-35-3 Boric Acid		
Oral	LD50	2660 mg/kg (rat)	
7758-99-8	7758-99-8 Copper Sulfate Pentahydrate		
Oral	LD50	300 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: No irritating effect.
- · on the eye: No irritating effect.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

14807-96-	6 Talc	2B
NTP (National Toxicology Program)		
None of the	e ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the	e ingredients are listed.	

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

7487-88-9 Magnesium Sulphate

EC50 2700 mg/l (Green algae) 343.56 mg/l (Water flea)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA Non-Regulated Material

· UN proper shipping name

· DOT, ADR, IMDG, IATA Non-Regulated Material

· Transport hazard class(es)

· DOT, ADR, IMDG, IATA

· Class Non-Regulated Material

· Packing group

· DOT, ADR, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.
 Special precautions for user Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015

Reviewed on 07/15/2015

5 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara		
	5 (extremely hazardous substances):	
7720-78-7 i	ron(II) sulfate	
Section 313	pecific toxic chemical listings):	
6484-52-2	Ammonium Nitrate	
7757-79-1	Potassium Nitrate	
10034-96-5	Manganese(II) Sulfate Monohydrate	
7758-99-8	Copper Sulfate Pentahydrate	
7733-02-0	Zinc Sulphate (anhydrous)	
· TSCA (Tox	ic Substances Control Act):	
7778-80-5	Potassium Sulfate	
6484-52-2	Ammonium Nitrate	
7757-79-1	Potassium Nitrate	
7487-88-9	Magnesium Sulphate	
7722-76-1	Ammonium phosphate monobasic	
14807-96-6	Talc	
	Calcium Phosphate, dibasic	
7720-78-7	iron(II) sulfate	
1332-58-7	Kaolin	
	EDTA feric sodium complex	
25791-96-2	Poly(oxypropylene) triol	
10043-35-3	Boric Acid	
	Copper Sulfate Pentahydrate	
7733-02-0	Zinc Sulphate (anhydrous)	

- · California Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

7631-95-0 Sodium Molybdate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

	· EPA (Environmental Protection Agency)		
10034-96-5 Manganese(II) Sulfate Monohydrate		Manganese(II) Sulfate Monohydrate)
	10043-35-3	Boric Acid	(oral)
	7733-02-0	Zinc Sulphate (anhydrous)	O, I, II

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

· TLV (Thres	hold Limit Value established by ACGIH)	
14807-96-6	Talc	A4
1332-58-7	Kaolin	2 mg/m3
10043-35-3	Boric Acid	A4
•	National Institute for Occupational Safety and Healingredients are listed.	(th)

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Talc

· Hazard statements

Suspected of causing cancer.

May damage fertility or the unborn child.

· Precautionary statements

Wear protective gloves.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations

The product is subjec substances.	et to be classified according with the latest version of the regulations on h	azardous
· State Right to Know		
CAS: 7778-80-5 RTECS: TT5900000	Potassium Sulfate	25-50%
CAS: 6484-52-2	Ammonium Nitrate	15-35%
RTECS: BR9050000	Ox. Sol. 3, H272; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 7757-79-1	Potassium Nitrate	15-35%
RTECS: TT 3700000	① Ox. Sol. 2, H272	
CAS: 7487-88-9	Magnesium Sulphate	5-10%
RTECS: OM 4500000	♦ STOT SE 3, H335	
CAS: 7722-76-1	Ammonium phosphate monobasic	2-12%
	① Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	
	Polyurethane elastomer	2-12%

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/15/2015 Reviewed on 07/15/2015

6 Other <u>information</u>

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision 07/15/2015 / -

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Ox. Sol. 2: Oxidising Solids, Hazard Category 2
Ox. Sol. 3: Oxidising Solids, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Eve Irrit. 2A: Serious eye damage/eye irritation, Hazard Category

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B
Carc. 2: Carcinogenicity, Hazard Category 2
Repr. 1B: Reproductive toxicity, Hazard Category 1B
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106