

SAFETY DATA SHEET

AMPLIFY

Page: 1

Printed: 06/27/2025

Revision: 05/14/2025

This SDS complies with the US OSHA HCS 2024.

1. Product and Company Identification

Product Code: 906467
Product Name: AMPLIFY
Company Name: Turf Care Supply LLC
50 Pearl Road
Suite 200
Brunswick, OH 44212
Web site address: www.turfcaresupply.com
Email address: regaffairs@tcscusa.com
Emergency Contact: PERS 1 (800)633-8253
Information: Turf Care Supply LLC 1 (330)558-0910
Synonyms: Limestone with soil amendments

2. Hazards Identification

Skin Corrosion/Irritation, Category 2**Serious Eye Damage/Eye Irritation, Category 1****GHS Signal Word:** Danger

GHS Hazard Phrases: Causes skin irritation.
Causes serious eye damage.
May cause cancer.

GHS Precautionary Phrases: Do not handle until all safety precautions have been read and understood.
Wash hands thoroughly after handling.
Wear appropriate personal protective equipment.

GHS Response Phrases: IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical attention/advice.
Immediately call a POISON CENTER or doctor/physician.
If skin irritation occurs, get medical advice/attention.
Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal Phrases: Store in a secure location.
Dispose of contents/container to an appropriate disposal facility.

Potential Health Effects (Acute and Chronic): Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or repeated exposure may cause permanent eye damage. Chronic exposure may cause lung damage. Effects may be delayed.

Inhalation: May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.

Skin Contact: May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual industrial handling.

Eye Contact: May cause eye irritation. Dust may cause mechanical irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects.

GHS format

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
1317-65-3	Limestone	90.5 %
64742-65-0	Mineral Oil	1.99 %
68514-28-3	Humic acids, potassium salts	1.80 %
57-13-6	Urea	1.09 %
14808-60-7	Quartz	0.938 - 0.944 %

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.
In Case of Skin Contact:	Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Wash off with soap and plenty of water.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed.
In Case of Ingestion:	Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control center. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
Signs and Symptoms Of Exposure:	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Note to Physician:	Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Point:	No data.
Explosive Limits:	LEL: No data. UEL: No data.
Autoignition Pt:	No data.
Suitable Extinguishing Media:	For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive products. Runoff from fire control or dilution water may cause pollution.
Flammable Properties and Hazards:	Most of the components of this product are non-combustible. However, a portion of them may support combustion at elevated temperatures.
Hazardous Combustion Products:	Thermal decomposition may result in the production of ammonia, formaldehyde, cyanic acid, and cyanide, and oxides of carbon, nitrogen, sulfur, and chlorine, and oxides of iron, sodium, and potassium, and other toxic and irritating fumes and gases.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:

Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.

Personal precautions.

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions.

Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

PROCEDURES & PERSONAL PRECAUTIONS.

Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.

Methods for cleaning up.

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.

Provide appropriate exhaust ventilation at places where dust is formed.

Precautions To Be Taken in Storing:

Store in a cool, dry place. Keep container closed when not in use.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1317-65-3	Limestone	PEL: 15 (dust); 5 (resp.) mg/m3	No data.	No data.
64742-65-0	Mineral Oil	No data.	TLV: 5 mg/m3	No data.
68514-28-3	Humic acids, potassium salts	No data.	No data.	No data.
57-13-6	Urea	No data.	No data.	No data.
14808-60-7	Quartz	PEL: 50 ug/m3	TLV: 0.05 mg/m3 (R)	No data.

SAFETY DATA SHEET

AMPLIFY

Page: 4

Printed: 06/27/2025

Revision: 05/14/2025

Respiratory Equipment (Specify Type):	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States:	[] Gas	[] Liquid	[X] Solid
Appearance and Odor:	Granular solid. Musty odor.		
pH:	No data.		
Melting Point:	No data.		
Boiling Point:	No data.		
Flash Point:	No data.		
Evaporation Rate:	No data.		
Flammability (solid, gas):	No data available.		
Explosive Limits:	LEL: No data.	UEL: No data.	
Vapor Pressure:	No data.		
Vapor Density (vs. Air=1):	No data.		
Specific Gravity (Water=1):	~ 2.5 - 2.8		
Solubility in Water:	No data.		
Saturated Vapor Concentration:	No data.		
Octanol/Water Partition Coefficient:	No data.		
Autoignition Pt:	No data.		
Decomposition Temperature:	No data.		
Viscosity:	No data.		

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, dust generation, heating to decomposition. High temperatures.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, bases, acids, aluminum.
Hazardous Decomposition or Byproducts:	Decomposition may result in the production of ammonia, formaldehyde, cyanic acid, and cyanide, and oxides of carbon, nitrogen, sulfur, and chlorine, and oxides of iron, sodium, and potassium, and other toxic and irritating fumes and gases.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. Toxicological Information

Toxicological Information:	Epidemiology: No information found. Teratogenicity: Teratogenic effects have occurred in experimental animals. Neurotoxic effects have occurred in experimental animals. Reproductive toxicity - no data available. Inhalation: May cause damage to organs through prolonged or repeated exposure. Limestone: EYE CONTACT: Direct contact with dust may cause irritation by mechanical abrasion or corrosive action. Conjunctivitis may occur. SKIN CONTACT: Direct contact may cause irritation by mechanical abrasion. Some components of material are also known to cause corrosive effects to skin and mucous membranes. SKIN ABSORPTION: Not expected to be a significant route of exposure. INGESTION: Small amounts (a tablespoonful) swallowed during normal handling operations are not likely to cause injury. Ingestion of large amounts may cause gastrointestinal irritation and blockage. INHALATION: Dust may irritate nose, throat, mucous membranes and respiratory tract by mechanical abrasion. Coughing, sneezing, chest pain, shortness of breath, inflammation of mucous membrane, and flu-like fever may occur following exposures in excess of appropriate exposure limits.
Irritation or Corrosion:	Direct contact may cause irritation by mechanical abrasion. Some components of material are also known to cause corrosive effects to skin and mucous membranes.
Symptoms related to Toxicological Characteristics:	Inhaling respirable dust and/or crystalline silica may aggravate existing respiratory system disease(s) (e.g., bronchitis, emphysema, chronic obstructive pulmonary disease) and/or dysfunctions. Exposure to dust may aggravate existing skin and/or eye conditions. Smoking and obstructive/restrictive lung diseases may also exacerbate the effects of excessive exposure to this product.
Carcinogenicity/Other Information:	This material may contain small amounts of respirable crystalline and amorphous silica. The International Agency for Cancer Research (IARC) has classified crystalline silica as a carcinogen to humans (Group 1), and amorphous silica as not classifiable as to its carcinogenicity to humans (Group 3). See "Silica, Some Silicates, Coal dust and para-Aramid Fibrils in IARC Monographs on the Evaluation of Carcinogenic Risks to Humans", (Vol. 68).

SAFETY DATA SHEET

AMPLIFY

Page: 6

Printed: 06/27/2025

Revision: 05/14/2025

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1317-65-3	Limestone	n.a.	n.a.	n.a.	n.a.
64742-65-0	Mineral Oil	n.a.	n.a.	n.a.	n.a.
68514-28-3	Humic acids, potassium salts	n.a.	n.a.	n.a.	n.a.
57-13-6	Urea	n.a.	n.a.	n.a.	n.a.
14808-60-7	Quartz	Known	1	A2	n.a.

12. Ecological Information

General Ecological Information: Environmental: Release of this product to water may raise the pH of the receiving water and have an adverse effect on aquatic life.

Other: Do not empty into drains or other waterways.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. Disposal Considerations

Waste Disposal Method: If material cannot be completely used according to label directions, dispose of container and contents according to this section.

Contact a licensed professional waste disposal service to dispose of this material.

Do not let product enter drains.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1317-65-3	Limestone	No	No	No
64742-65-0	Mineral Oil	No	No	No
68514-28-3	Humic acids, potassium salts	No	No	No
57-13-6	Urea	No	No	No
14808-60-7	Quartz	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

☐ Yes ☒ No	Explosive	☐ Yes ☒ No	Acute toxicity (any route of exposure)
☐ Yes ☒ No	Flammable (gases, aerosols, liquid, or solid)	☒ Yes ☐ No	Skin Corrosion or Irritation
☐ Yes ☒ No	Oxidizer (liquid, solid or gas)	☒ Yes ☐ No	Serious eye damage or eye irritation
☐ Yes ☒ No	Self-reactive	☐ Yes ☒ No	Respiratory or Skin Sensitization
☐ Yes ☒ No	Pyrophoric (liquid or solid)	☐ Yes ☒ No	Germ cell mutagenicity
☐ Yes ☒ No	Pyrophoric gas	☐ Yes ☒ No	Carcinogenicity
☐ Yes ☒ No	Self-heating	☐ Yes ☒ No	Reproductive toxicity
☐ Yes ☒ No	Organic peroxide	☐ Yes ☒ No	Specific target organ toxicity (single or repeated exposure)
☐ Yes ☒ No	Corrosive to metal	☐ Yes ☒ No	Aspiration Hazard
☐ Yes ☒ No	Gas under pressure (compressed gas)	☐ Yes ☒ No	Simple Asphyxiant
☐ Yes ☒ No	In contact with water emits flammable gas	☐ Yes ☒ No	(Health) Hazard Not Otherwise Classified (HNOC)
☐ Yes ☒ No	Combustible Dust		
☐ Yes ☒ No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS # Hazardous Components (Chemical Name)


Other US EPA or State Lists

1317-65-3	Limestone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
64742-65-0	Mineral Oil	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
68514-28-3	Humic acids, potassium salts	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
57-13-6	Urea	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A CAIR, 8C; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
14808-60-7	Quartz	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1

16. Other Information

Revision Date: 05/14/2025

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Turf Care Supply LLC disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.